


Tokiwa


TSR = 35mm SOUND PROJECTOR




TSR 35MM SOUND PROJECTOR MECHANISM

Type:	Cover less type	.Lens holder:	3 turret type or 2Auto Turret
Lubrication:	Self-automatic	Optical sound:	Rotary stabilizer
Cooling system:	Water cooling	Exciter lamp:	10V-5A double system
Framing:	Intermittent framing	Photo detector:	Solar cell
Oiling:	Automatically	Wow & flutter:	Less than 0.2%
		Motor:	200W vibration proof type induction

TYPE TSR-6000A



TYPE TSR-3000



■ TOKIWA TSR-6000A 35MM SOUND PROJECTOR

One(1) complete set consists of below-mentioned items:

- 1) TSR-6000A sound projector mechanism 2
with – upper magazine & reel (6,000 ft. film capacity) with torque motor,
– lower magazine & reel (6,000 ft. film capacity) with torque motor,
– 3 turret or 2-auto turret lens holder
– motor (200W vibration proof type induction),
– film re-wind system
- 2) TSR pedestal with control box 2
- 3) TXH xenon lamphouse 2
- 4) SRX thyristor rectifier 2
- 5) Sound system:
 - TSS-50A power amplifier 1
 - TSS-5A exciter power supply 1
 - TSS-1000 cross over network 1
 - TSS-50U high frequency speaker 1
 - TSS-30H low frequency speaker 1
 - TSS-A7 low frequency speaker cabinet 1
 - TSS-8MS monitor speaker 1
- 6) S-6000 film rewinder 1
- 7) Projection lens 2

■ TOKIWA TSR-6000B 35MM SOUND PROJECTOR

One(1) complete set consists of below-mentioned items:


- 1) Same as TOKIWA TSR-6000A 35MM SOUND PROJECTOR, but except upper magazine torque motor and film rewind system 1 complete set

■ TOKIWA TSR-3000 35MM SOUND PROJECTOR


One(1) complete set consists of below-mentioned items:

- 1) TSR-3000 sound projector mechanism 2
with – upper magazine & reel (3,000 ft. film capacity),
– lower magazine & reel (3,000 ft. film capacity),
– 3 turret lens holder,
– motor (200W vibration proof type induction)
- 2) TSR pedestal with control box 2
- 3) TXH xenon lamphouse 2
- 4) SRX thyristor rectifier 2
- 5) Sound system:
 - TSS-50A power amplifier 1
 - TSS-5A exciter power supply 1
 - TSS-1000 cross over network 1
 - TSS-50U high frequency speaker 1
 - TSS-30H low frequency speaker 1
 - TSS-A7 low frequency speaker cabinet 1
 - TSS-8MS monitor speaker 1
- 6) S-3000 film rewinder 1
- 7) Projection lens 2


5mm SOUND PROJECTOR



↑
■ TOKIWA TSR-3000 PROJECTION MECHANISM
WITH 3000FT MAGAZINE



↑
■ TOKIWA TSR-3000 PROJECTION MECHANISM
WITH 6000FT REEL ARM




←
■ TOKIWA TSR-DB 35MM PROJECTION
MECHANISM WITH MAGNETIC SOUND HEAD
AND DOUBLE BAND REEL ARMS


Tokiwa
TSR
35mm
SOUND
PROJECTOR

Specifications subject to change without notice.


Tokiwa PROJECTORS



T-60
35mm PORTABLE
SOUND PROJECTOR



T60-HALOGEN
35mm PORTABLE
SOUND PROJECTOR




T-60XL
35mm PROJECTOR
WITH XENON LAMPHOUSE




TSR-XS
35mm SOUND PROJECTOR
WITH XENON LAMPHOUSE




TSR-DB
SOUND PROJECTOR




T60-1000X
35mm SOUND PROJECTOR




TP-HALOGEN
35mm SOUND PROJECTOR




TSR-12000 LP
35mm SOUND PROJECTOR




T-60SXL
35mm SOUND PROJECTOR



T6000-HALOGEN
35mm SOUND PROJECTOR
(6000 ft.)



TSR-6000-A
35mm SOUND PROJECTOR
(6000 ft.)



TSR-6000-B
16/35mm SOUND PROJECTOR



TOKIWA CO., LTD.

25-5, Minamitokiwadai 1-chome,
Itabashi-ku, TOKYO, 174 JAPAN
Tel. No. (03) 972-1414
Telex. No. J-32802 TKWTKW
Fax. No. (03) 972-1530
Cable. CINEACETSS TOKYO

